


Soft P55 LED Mesh Screen


Technical Specification&Images



Model	/	P55-WGP-1	P55-WGP-2	P55-WGP-3
IC Type		TM1914		
LEDs/Pixel	SMD	SMD3535*1	SMD3535*2	SMD 3535*3
Pixel Density	Pixel/M ²	332		
Horizontal pitch	mm	55mm		
Vertical pitch	mm	55mm		
Grayscale	bit	12bit (4096)	8 bit (256)	8 bit (256)
Brightness	nits	2500	3200	4200
Contrast	/	1:1200	1:2000	1:2000
Horizontal viewing angle		140°		
Vertical viewing angle		140°	140°	140°
Scan		Static		
Maximum power consumption	w/m ²	100W	175W	230W
Average power consumption	w/m ²	35W	60W	80W
Unit weight	kg/m ²	2.5kg	2.8kg	3.0 kg
Refresh frequency	Hz	4096 HZ	2048 HZ	2048 HZ
Power supply voltage	DC/ V	DC12/15V	DC 12V	DC 12V
Life span	H	≥80000H		
Transparency	%	70%	65%	65%
Ingress protection	IP	IP66		
Housing&Base Material		PC		
Housing Color		Transparent/Black		



**All hardware and software included.*




PSU+ 16 Channel Novastar Data Distribution Box
Please confirm local voltage before order



Top&Bottom Fixture

Control and Display System





BST A RELIABLE TESTING FOR TRUST

Certificate of Compliance

Certificate NO. : SHB5T17681257001TYHC-1

Applicant
LANYUNG FUSHONG PHOTOELECTRIC ENGINEERING CO., LTD.
29-202, South of Jialing Road, Pudong District, Shanghai, China

Manufacturer
LANYUNG FUSHONG PHOTOELECTRIC ENGINEERING CO., LTD.
29-202, South of Jialing Road, Pudong District, Shanghai, China

Product Name
LED Video pixel tube


Trade Name
LED Video pixel tube

Test Report
LED Video pixel tube

Test Standard
GB/T 18655-2002, GB/T 18656-2002, GB/T 18657-2002, GB/T 18658-2002, GB/T 18659-2002, GB/T 18660-2002, GB/T 18661-2002, GB/T 18662-2002, GB/T 18663-2002, GB/T 18664-2002, GB/T 18665-2002, GB/T 18666-2002, GB/T 18667-2002, GB/T 18668-2002, GB/T 18669-2002, GB/T 18670-2002, GB/T 18671-2002, GB/T 18672-2002, GB/T 18673-2002, GB/T 18674-2002, GB/T 18675-2002, GB/T 18676-2002, GB/T 18677-2002, GB/T 18678-2002, GB/T 18679-2002, GB/T 18680-2002, GB/T 18681-2002, GB/T 18682-2002, GB/T 18683-2002, GB/T 18684-2002, GB/T 18685-2002, GB/T 18686-2002, GB/T 18687-2002, GB/T 18688-2002, GB/T 18689-2002, GB/T 18690-2002, GB/T 18691-2002, GB/T 18692-2002, GB/T 18693-2002, GB/T 18694-2002, GB/T 18695-2002, GB/T 18696-2002, GB/T 18697-2002, GB/T 18698-2002, GB/T 18699-2002, GB/T 18700-2002, GB/T 18701-2002, GB/T 18702-2002, GB/T 18703-2002, GB/T 18704-2002, GB/T 18705-2002, GB/T 18706-2002, GB/T 18707-2002, GB/T 18708-2002, GB/T 18709-2002, GB/T 18710-2002, GB/T 18711-2002, GB/T 18712-2002, GB/T 18713-2002, GB/T 18714-2002, GB/T 18715-2002, GB/T 18716-2002, GB/T 18717-2002, GB/T 18718-2002, GB/T 18719-2002, GB/T 18720-2002, GB/T 18721-2002, GB/T 18722-2002, GB/T 18723-2002, GB/T 18724-2002, GB/T 18725-2002, GB/T 18726-2002, GB/T 18727-2002, GB/T 18728-2002, GB/T 18729-2002, GB/T 18730-2002, GB/T 18731-2002, GB/T 18732-2002, GB/T 18733-2002, GB/T 18734-2002, GB/T 18735-2002, GB/T 18736-2002, GB/T 18737-2002, GB/T 18738-2002, GB/T 18739-2002, GB/T 18740-2002, GB/T 18741-2002, GB/T 18742-2002, GB/T 18743-2002, GB/T 18744-2002, GB/T 18745-2002, GB/T 18746-2002, GB/T 18747-2002, GB/T 18748-2002, GB/T 18749-2002, GB/T 18750-2002, GB/T 18751-2002, GB/T 18752-2002, GB/T 18753-2002, GB/T 18754-2002, GB/T 18755-2002, GB/T 18756-2002, GB/T 18757-2002, GB/T 18758-2002, GB/T 18759-2002, GB/T 18760-2002, GB/T 18761-2002, GB/T 18762-2002, GB/T 18763-2002, GB/T 18764-2002, GB/T 18765-2002, GB/T 18766-2002, GB/T 18767-2002, GB/T 18768-2002, GB/T 18769-2002, GB/T 18770-2002, GB/T 18771-2002, GB/T 18772-2002, GB/T 18773-2002, GB/T 18774-2002, GB/T 18775-2002, GB/T 18776-2002, GB/T 18777-2002, GB/T 18778-2002, GB/T 18779-2002, GB/T 18780-2002, GB/T 18781-2002, GB/T 18782-2002, GB/T 18783-2002, GB/T 18784-2002, GB/T 18785-2002, GB/T 18786-2002, GB/T 18787-2002, GB/T 18788-2002, GB/T 18789-2002, GB/T 18790-2002, GB/T 18791-2002, GB/T 18792-2002, GB/T 18793-2002, GB/T 18794-2002, GB/T 18795-2002, GB/T 18796-2002, GB/T 18797-2002, GB/T 18798-2002, GB/T 18799-2002, GB/T 18800-2002, GB/T 18801-2002, GB/T 18802-2002, GB/T 18803-2002, GB/T 18804-2002, GB/T 18805-2002, GB/T 18806-2002, GB/T 18807-2002, GB/T 18808-2002, GB/T 18809-2002, GB/T 18810-2002, GB/T 18811-2002, GB/T 18812-2002, GB/T 18813-2002, GB/T 18814-2002, GB/T 18815-2002, GB/T 18816-2002, GB/T 18817-2002, GB/T 18818-2002, GB/T 18819-2002, GB/T 18820-2002, GB/T 18821-2002, GB/T 18822-2002, GB/T 18823-2002, GB/T 18824-2002, GB/T 18825-2002, GB/T 18826-2002, GB/T 18827-2002, GB/T 18828-2002, GB/T 18829-2002, GB/T 18830-2002, GB/T 18831-2002, GB/T 18832-2002, GB/T 18833-2002, GB/T 18834-2002, GB/T 18835-2002, GB/T 18836-2002, GB/T 18837-2002, GB/T 18838-2002, GB/T 18839-2002, GB/T 18840-2002, GB/T 18841-2002, GB/T 18842-2002, GB/T 18843-2002, GB/T 18844-2002, GB/T 18845-2002, GB/T 18846-2002, GB/T 18847-2002, GB/T 18848-2002, GB/T 18849-2002, GB/T 18850-2002, GB/T 18851-2002, GB/T 18852-2002, GB/T 18853-2002, GB/T 18854-2002, GB/T 18855-2002, GB/T 18856-2002, GB/T 18857-2002, GB/T 18858-2002, GB/T 18859-2002, GB/T 18860-2002, GB/T 18861-2002, GB/T 18862-2002, GB/T 18863-2002, GB/T 18864-2002, GB/T 18865-2002, GB/T 18866-2002, GB/T 18867-2002, GB/T 18868-2002, GB/T 18869-2002, GB/T 18870-2002, GB/T 18871-2002, GB/T 18872-2002, GB/T 18873-2002, GB/T 18874-2002, GB/T 18875-2002, GB/T 18876-2002, GB/T 18877-2002, GB/T 18878-2002, GB/T 18879-2002, GB/T 18880-2002, GB/T 18881-2002, GB/T 18882-2002, GB/T 18883-2002, GB/T 18884-2002, GB/T 18885-2002, GB/T 18886-2002, GB/T 18887-2002, GB/T 18888-2002, GB/T 18889-2002, GB/T 18890-2002, GB/T 18891-2002, GB/T 18892-2002, GB/T 18893-2002, GB/T 18894-2002, GB/T 18895-2002, GB/T 18896-2002, GB/T 18897-2002, GB/T 18898-2002, GB/T 18899-2002, GB/T 18900-2002, GB/T 18901-2002, GB/T 18902-2002, GB/T 18903-2002, GB/T 18904-2002, GB/T 18905-2002, GB/T 18906-2002, GB/T 18907-2002, GB/T 18908-2002, GB/T 18909-2002, GB/T 18910-2002, GB/T 18911-2002, GB/T 18912-2002, GB/T 18913-2002, GB/T 18914-2002, GB/T 18915-2002, GB/T 18916-2002, GB/T 18917-2002, GB/T 18918-2002, GB/T 18919-2002, GB/T 18920-2002, GB/T 18921-2002, GB/T 18922-2002, GB/T 18923-2002, GB/T 18924-2002, GB/T

Soft P55 LED Mesh Screen

The Fixture



Integrated PSU and Scan Box



Model	Loading Capacity	Dimension	Weight
TOP3.0-16CH-12V-800W	P55 0.88x4m(w*h)	670*270*85 mm	7.5 KG
TOP3.0-16CH-12V-1600W	P55 0.88x 8m(w*h)	670*270*85 mm	8.6 KG
TOP3.0-16CH-12V-3200W	P55 0.88x16m(w*h)	670*270*135 mm	13.5 KG